



成育科技股份有限公司

AMODE TECH.LTD.

# ACDRH电感系列目录 (2019年)

**台北OFFICE:**

地址: 23544新北市中和區中正路951號9樓

TEL: 886-2-8221-8116

FAX: 886-2-2222-8715

**昆山OFFICE:**




地址: 昆山經濟技術開發區偉業路18號現代廣場A座718室

TEL: 86-512-86160089 Cell phone: 86-13451773809/13451776298

FAX: 86-512-86160087


<http://www.amode.com.tw>

# Catalog of Products

Model	P/N	Size (mm)	Inductance (uH)	Page
  	ACDRH2D09	2D09	1.2-10uH	<a href="#">2</a>
	ACDRH2D11	2D11	1.5-10uH	<a href="#">3</a>
	ACDRH2D14	2D14	1.5-12uH	<a href="#">4</a>
	ACDRH2D18K	2D18	2.2-100uH	<a href="#">5</a>
	ACDRH3D11AHP	3D11	0.6-22uH	<a href="#">6</a>
	ACDRH3D16K	3D16	1.5-470uH	<a href="#">7</a>
	ACDRH3D28K	3D28	2.2-220uH	<a href="#">8</a>
	ACDRH4D18K	4D18	1.0-470uH	<a href="#">9</a>
	ACDRH4D28K	4D28	1.0-330uH	<a href="#">10</a>
	ACDRH5D18K	5D18	0.9-33uH	<a href="#">11</a>
	ACDRH5D28K	5D28	1.8-220uH	<a href="#">12</a>
	ACDRH6D28K	6D28	1.5-150uH	<a href="#">13</a>
	ACDRH6D38K	6D38	2.2-2200uH	<a href="#">14</a>
	ACDRH7D15	7D15	3.3-10uH	<a href="#">15</a>
	ACDRH7D25	7D25	10uH	<a href="#">16</a>
	ACDRH10D15	10D15	22uH	<a href="#">17</a>
	ACDRH10D25	10D25	22uH	<a href="#">18</a>
	ACDRH103R	103R	4.7-33uH	<a href="#">19</a>
	ACDRH104R	104R	1.5-330uH	<a href="#">20</a>
	ACDRH105R	105R	0.8-1000uH	<a href="#">21</a>

# ACDRH2D09 SERIES

## MECHANICAL DIMENSION :




## ELECTRICAL CHARACTERISTICS:

Type 型号	Inductance 电感值(μH)	Test Frequency 测试频率	D.C.R(MAX) 直流电阻(mΩ)	Rated Current(MAX) 额定电流(A)
ACDRH2D09-1R2YT	1.2±30%	100KHz/0.25V	97.5	0.8
ACDRH2D09-1R5YT	1.5±30%	100KHz/0.25V	110	0.73
ACDRH2D09-1R8YT	1.8±30%	100KHz/0.25V	131.3	0.65
ACDRH2D09-2R2YT	2.2±30%	100KHz/0.25V	143.8	0.6
ACDRH2D09-2R7YT	2.7±30%	100KHz/0.25V	150	0.53
ACDRH2D09-3R3YT	3.3±30%	100KHz/0.25V	193.8	0.47
ACDRH2D09-3R9YT	3.9±30%	100KHz/0.25V	225	0.45
ACDRH2D09-4R7MT	4.7±20%	100KHz/0.25V	287.5	0.41
ACDRH2D09-5R6MT	5.6±20%	100KHz/0.25V	325	0.37
ACDRH2D09-6R8MT	6.8±20%	100KHz/0.25V	425	0.33
ACDRH2D09-8R2MT	8.2±20%	100KHz/0.25V	475	0.3
ACDRH2D09-100MT	10±20%	100KHz/0.25V	537.5	0.28

# ACDRH2D11 SERIES

## MECHANICAL DIMENSION :




## ELECTRICAL CHARACTERISTICS:

Type 型号	Inductance 电感值(uH)	Test Frequency 测试频率	D.C.R(MAX) 直流电阻(mΩ)	Rated Current(MAX) 额定电流(A)
ACDRH2D11-1R5YT	1.5±30%	100KHz/0.25V	68	0.9
ACDRH2D11-2R2YT	2.2±30%	100KHz/0.25V	98	0.78
ACDRH2D11-3R3YT	3.3±30%	100KHz/0.25V	123	0.6
ACDRH2D11-4R7MT	4.7±20%	100KHz/0.25V	170	0.5
ACDRH2D11-6R8MT	6.8±20%	100KHz/0.25V	260	0.44
ACDRH2D11-100MT	10±20%	100KHz/0.25V	400	0.35

# ACDRH2D14 SERIES

## MECHANICAL DIMENSION :




## ELECTRICAL CHARACTERISTIC...

Type 型号	Inductance 电感值(uH)	Test Frequency 测试频率	D.C.R(MAX) 直流电阻(mΩ)	Rated Current(MAX) 额定电流(A)
ACDRH2D14-1R5YT	1.5±30%	100KHz/0.25V	63	1.8
ACDRH2D14-1R8YT	1.8±30%	100KHz/0.25V	75	1.65
ACDRH2D14-2R2YT	2.2±30%	100KHz/0.25V	94	1.5
ACDRH2D14-2R7YT	2.7±30%	100KHz/0.25V	106	1.35
ACDRH2D14-3R3YT	3.3±30%	100KHz/0.25V	125	1.2
ACDRH2D14-3R9YT	3.9±30%	100KHz/0.25V	138	1.1
ACDRH2D14-4R7MT	4.7±20%	100KHz/0.25V	169	1
ACDRH2D14-5R6MT	5.6±20%	100KHz/0.25V	188	0.95
ACDRH2D14-6R8MT	6.8±20%	100KHz/0.25V	213	0.85
ACDRH2D14-8R2MT	8.2±20%	100KHz/0.25V	281	0.8
ACDRH2D14-100MT	10±20%	100KHz/0.25V	294	0.7
ACDRH2D14-120MT	12±20%	100KHz/0.25V	394	0.62

# ACDRH2D18K SERIES

## MECHANICAL DIMENSION :




## ELECTRICAL CHARACTERISTICS:

Type 型号	Inductance 电感值(μH)	Test Frequency 测试频率	D.C.R(MAX) 直流电阻(mΩ)	Rated Current(MAX) 额定电流(A)
ACDRH2D18K-2R2YT	2.2±30%	100KHz/0.25V	110	1.1
ACDRH2D18K-3R3YT	3.3±30%	100KHz/0.25V	120	1
ACDRH2D18K-4R7YT	4.7±30%	100KHz/0.25V	160	0.9
ACDRH2D18K-6R8YT	6.8±30%	100KHz/0.25V	230	0.58
ACDRH2D18K-100MT	10±20%	100KHz/0.25V	320	0.5
ACDRH2D18K-220MT	22±20%	100KHz/0.25V	700	0.24
ACDRH2D18K-470MT	47±20%	100KHz/0.25V	1300	0.22
ACDRH2D18K-101MT	100±20%	100KHz/0.25V	3500	0.17

# ACDRH3D11AHP SERIES

## MECHANICAL DIMENSION :




## ELECTRICAL CHARACTERISTICS:

Type 型号	Inductance 电感值(uH)	Test Frequency 测试频率	D.C.R(MAX) 直流电阻(mΩ)	Rated Current(MAX) 额定电流(A)
ACDRH3D11AHP-R60YT	0.6±30%	100KHz/0.25V	59	2.9
ACDRH3D11AHP-1R2YT	1.2±30%	100KHz/0.25V	82	2
ACDRH3D11AHP-1R5YT	1.5±30%	100KHz/0.25V	104	1.85
ACDRH3D11AHP-2R2YT	2.2±30%	100KHz/0.25V	143	1.6
ACDRH3D11AHP-3R3YT	3.3±30%	100KHz/0.25V	182	1.25
ACDRH3D11AHP-4R7MT	4.7±20%	100KHz/0.25V	243	1
ACDRH3D11AHP-6R8MT	6.8±20%	100KHz/1V	377	0.85
ACDRH3D11AHP-100MT	10±20%	100KHz/1V	413	0.8
ACDRH3D11AHP-120MT	12±20%	100KHz/0.25V	585	0.64
ACDRH3D11AHP-150MT	15±20%	100KHz/0.25V	653	0.58
ACDRH3D11AHP-180MT	18±20%	100KHz/0.25V	888	0.52
ACDRH3D11AHP-220MT	22±20%	100KHz/0.25V	1010	0.45

# ACDRH3D16K SERIES

## MECHANICAL DIMENSION :




## ELECTRICAL CHARACTERISTICS:

Type 型号	Inductance 电感值(μH)	Test Frequency 测试频率	D.C.R(MAX) 直流电阻(mΩ)	Rated Current(MAX) 额定电流(A)
ACDRH3D16K-1R5YT	1.5±30%	100KHz/0.25V	75	1.3
ACDRH3D16K-2R2YT	2.2±30%	100KHz/0.25V	100	1.2
ACDRH3D16K-3R3YT	3.3±30%	100KHz/0.25V	140	1
ACDRH3D16K-4R7YT	4.7±30%	100KHz/0.25V	150	0.9
ACDRH3D16K-5R6YT	5.6±30%	100KHz/0.25V	160	0.83
ACDRH3D16K-6R8YT	6.8±30%	100KHz/0.25V	170	0.73
ACDRH3D16K-100MT	10±20%	100KHz/0.25V	200	0.6
ACDRH3D16K-150MT	15±20%	100KHz/0.25V	450	0.45
ACDRH3D16K-220MT	22±20%	100KHz/0.25V	500	0.4
ACDRH3D16K-470MT	47±20%	100KHz/0.25V	1200	0.3
ACDRH3D16K-101MT	100±20%	100KHz/0.25V	1830	0.1
ACDRH3D16K-471MT	470±20%	100KHz/0.25V	9200	0.08



# ACDRH3D28K SERIES

## MECHANICAL DIMENSION :




## ELECTRICAL CHARACTERISTICS:

Type 型号	Inductance 电感值(uH)	Test Frequency 测试频率	D.C.R(MAX) 直流电阻(mΩ)	Rated Current(MAX) 额定电流(A)
ACDRH3D28K-2R2YT	2.2±30%	100KHz/0.25V	75	1.8
ACDRH3D28K-3R3YT	3.3±30%	100KHz/0.25V	96	1.5
ACDRH3D28K-4R7MT	4.7±20%	100KHz/0.25V	110	1.2
ACDRH3D28K-6R8MT	6.8±20%	100KHz/0.25V	130	1
ACDRH3D28K-100MT	10±20%	100KHz/0.25V	210	0.9
ACDRH3D28K-220MT	22±20%	100KHz/0.25V	280	0.6
ACDRH3D28K-330MT	33±20%	100KHz/0.25V	350	0.36
ACDRH3D28K-390MT	39±20%	100KHz/0.25V	700	0.2
ACDRH3D28K-101MT	100±20%	100KHz/0.25V	930	0.16
ACDRH3D28K-221MT	220±20%	100KHz/0.25V	2600	0.14

# ACDRH4D18K SERIES

## MECHANICAL DIMENSION :




## ELECTRICAL CHARACTERISTICS:

Type 型号	Inductance 电感值(uH)	Test Frequency 测试频率	D.C.R(MAX) 直流电阻(mΩ)	Rated Current(MAX) 额定电流(A)
ACDRH4D18K-1R0YT	1.0±30%	100KHz/0.25V	50	2
ACDRH4D18K-1R5YT	1.5±30%	100KHz/0.25V	58	1.8
ACDRH4D18K-2R2YT	2.2±30%	100KHz/0.25V	70	1.5
ACDRH4D18K-3R3YT	3.3±30%	100KHz/0.25V	110	1
ACDRH4D18K-4R7MT	4.7±20%	100KHz/0.25V	120	0.8
ACDRH4D18K-6R8MT	6.8±20%	100KHz/0.25V	162	0.7
ACDRH4D18K-100MT	10±20%	100KHz/0.25V	180	0.65
ACDRH4D18K-150MT	15±20%	100KHz/0.25V	290	0.6
ACDRH4D18K-220MT	22±20%	100KHz/0.25V	450	0.5
ACDRH4D18K-330MT	33±20%	100KHz/0.25V	680	0.4
ACDRH4D18K-470MT	47±20%	100KHz/0.25V	950	0.3
ACDRH4D18K-101MT	100±20%	100KHz/0.25V	2200	0.2
ACDRH4D18K-221MT	220±20%	100KHz/0.25V	4000	0.15
ACDRH4D18K-471MT	470±20%	100KHz/0.25V	7300	0.12

# ACDRH4D28K SERIES

## MECHANICAL DIMENSION :




## ELECTRICAL CHARACTERISTICS:

Type 型号	Inductance 电感值(uH)	Test Frequency 测试频率	D.C.R(MAX) 直流电阻(mΩ)	Rated Current(MAX) 额定电流(A)
ACDRH4D28K-1R0YT	1.0±30%	100KHz/0.25V	30	2.4
ACDRH4D28K-1R2YT	1.2±30%	100KHz/0.25V	35	2.2
ACDRH4D28K-1R5YT	1.5±30%	100KHz/0.25V	40	2.1
ACDRH4D28K-1R8YT	1.8±30%	100KHz/0.25V	45	2
ACDRH4D28K-2R2MT	2.2±20%	100KHz/0.25V	50	1.8
ACDRH4D28K-3R3MT	3.3±20%	100KHz/0.25V	60	1.6
ACDRH4D28K-4R7MT	4.7±20%	100KHz/0.25V	65	1.5
ACDRH4D28K-6R8MT	6.8±20%	100KHz/0.25V	80	1.1
ACDRH4D28K-100MT	10±20%	100KHz/0.25V	130	0.9
ACDRH4D28K-220MT	22±20%	100KHz/0.25V	220	0.6
ACDRH4D28K-330MT	33±20%	100KHz/0.25V	350	0.5
ACDRH4D28K-470MT	47±20%	100KHz/0.25V	450	0.4
ACDRH4D28K-560MT	56±20%	100KHz/0.25V	480	0.38
ACDRH4D28K-680MT	68±20%	100KHz/0.25V	700	0.35
ACDRH4D28K-101MT	100±20%	100KHz/0.25V	900	0.3
ACDRH4D28K-151MT	150±20%	100KHz/0.25V	1200	0.2
ACDRH4D28K-181MT	180±20%	100KHz/0.25V	1300	0.18
ACDRH4D28K-221MT	220±20%	100KHz/0.25V	1800	0.15
ACDRH4D28K-331MT	330±20%	100KHz/0.25V	2300	0.05

# ACDRH5D18K SERIES

## MECHANICAL DIMENSION :




## ELECTRICAL CHARACTERISTICS:

Type 型号	Inductance 电感值(uH)	Test Frequency 测试频率	D.C.R(MAX) 直流电阻(mΩ)	Rated Current(MAX) 额定电流(A)
ACDRH5D18K-0R9YT	0.9±30%	100KHz/0.25V	40	2.3
ACDRH5D18K-1R8YT	1.8±30%	100KHz/0.25V	45	2
ACDRH5D18K-2R2YT	2.2±30%	100KHz/0.25V	60	1.8
ACDRH5D18K-3R3YT	3.3±30%	100KHz/0.25V	65	1.5
ACDRH5D18K-4R1YT	4.1±30%	100KHz/0.25V	75	1.3
ACDRH5D18K-4R7MT	4.7±20%	100KHz/0.25V	80	1
ACDRH5D18K-6R8MT	6.8±20%	100KHz/0.25V	140	0.9
ACDRH5D18K-100MT	10±20%	100KHz/0.25V	160	0.8
ACDRH5D18K-150MT	15±20%	100KHz/0.25V	200	0.6
ACDRH5D18K-220MT	22±20%	100KHz/0.25V	300	0.58
ACDRH5D18K-330MT	33±20%	100KHz/0.25V	510	0.55

# ACDRH5D28K SERIES


## MECHANICAL DIMENSION :



## ELECTRICAL CHARACTERISTICS:

Type 型号	Inductance 电感值(uH)	Test Frequency 测试频率	D.C.R(MAX) 直流电阻(mΩ)	Rated Current(MAX) 额定电流(A)
ACDRH5D28K-1R8YT	1.8±30%	100KHz/0.25V	30	2.2
ACDRH5D28K-2R2YT	2.2±30%	100KHz/0.25V	35	2
ACDRH5D28K-3R3YT	3.3±30%	100KHz/0.25V	60	1.9
ACDRH5D28K-4R7MT	4.7±20%	100KHz/0.25V	65	1.5
ACDRH5D28K-6R2MT	6.2±20%	100KHz/0.25V	70	1.3
ACDRH5D28K-6R8MT	6.8±20%	100KHz/0.25V	75	1.25
ACDRH5D28K-8R2MT	8.2±20%	100KHz/0.25V	85	1.2
ACDRH5D28K-100MT	10±20%	100KHz/0.25V	90	1
ACDRH5D28K-150MT	15±20%	100KHz/0.25V	110	0.8
ACDRH5D28K-180MT	18±20%	100KHz/0.25V	150	0.75
ACDRH5D28K-220MT	22±20%	100KHz/0.25V	170	0.7
ACDRH5D28K-330MT	33±20%	100KHz/0.25V	265	0.5
ACDRH5D28K-470MT	47±20%	100KHz/0.25V	300	0.45
ACDRH5D28K-680MT	68±20%	100KHz/0.25V	600	0.4
ACDRH5D28K-101MT	100±20%	100KHz/0.25V	700	0.3
ACDRH5D28K-121MT	120±20%	100KHz/0.25V	800	0.25
ACDRH5D28K-221MT	220±20%	100KHz/0.25V	1500	0.2


## MECHANICAL DIMENSION :



## ELECTRICAL CHARACTERISTICS:

Type 型号	Inductance 电感值(uH)	Test Frequency 测试频率	D.C.R(MAX) 直流电阻(mΩ)	Rated Current(MAX) 额定电流(A)
ACDRH6D28K-1R5YT	1.5±30%	100KHz/0.25V	38	3
ACDRH6D28K-2R2YT	2.2±30%	100KHz/0.25V	40	2.8
ACDRH6D28K-3R3YT	3.3±30%	100KHz/0.25V	45	2.2
ACDRH6D28K-4R7MT	4.7±20%	100KHz/0.25V	60	1.8
ACDRH6D28K-6R8MT	6.8±20%	100KHz/0.25V	70	1.5
ACDRH6D28K-100MT	10±20%	100KHz/0.25V	80	1.3
ACDRH6D28K-150MT	15±20%	100KHz/0.25V	110	0.9
ACDRH6D28K-220MT	22±20%	100KHz/0.25V	145	0.8
ACDRH6D28K-330MT	33±20%	100KHz/0.25V	220	0.6
ACDRH6D28K-470MT	47±20%	100KHz/0.25V	270	0.5
ACDRH6D28K-101MT	100±20%	100KHz/0.25V	700	0.4
ACDRH6D28K-151MT	150±20%	100KHz/0.25V	950	0.38

## MECHANICAL DIMENSION :




## ELECTRICAL CHARACTERISTICS:

Type 型号	Inductance 电感值(μH)	Test Frequency 测试频率	D.C.R(MAX) 直流电阻(mΩ)	Rated Current(MAX) 额定电流(A)
ACDRH6D38K-2R2YT	2.2±30%	100KHz/0.25V	33	3
ACDRH6D38K-3R3YT	3.3±30%	100KHz/0.25V	35	2.8
ACDRH6D38K-4R7MT	4.7±20%	100KHz/0.25V	40	2.3
ACDRH6D38K-6R8MT	6.8±20%	100KHz/0.25V	50	2
ACDRH6D38K-100MT	10±20%	100KHz/0.25V	70	1.8
ACDRH6D38K-150MT	15±20%	100KHz/0.25V	105	1.5
ACDRH6D38K-180MT	18±20%	100KHz/0.25V	120	1.4
ACDRH6D38K-220MT	22±20%	100KHz/0.25V	160	1.3
ACDRH6D38K-330MT	33±20%	100KHz/0.25V	170	1
ACDRH6D38K-470MT	47±20%	100KHz/0.25V	250	0.9
ACDRH6D38K-560MT	56±20%	100KHz/0.25V	260	0.85
ACDRH6D38K-680MT	68±20%	100KHz/0.25V	270	0.6
ACDRH6D38K-820MT	82±20%	100KHz/0.25V	300	0.45
ACDRH6D38K-101MT	100±20%	100KHz/0.25V	400	0.4
ACDRH6D38K-151MT	150±20%	100KHz/0.25V	850	0.35
ACDRH6D38K-221MT	220±20%	100KHz/0.25V	1050	0.3
ACDRH6D38K-331MT	330±20%	100KHz/0.25V	1600	0.2
ACDRH6D38K-471MT	470±20%	100KHz/0.25V	2500	0.25
ACDRH6D28K-222MT	2200±20%	100KHz/0.25V	12000	0.05

# ACDRH7D15 SERIES

## MECHANICAL DIMENSION :



## ELECTRICAL CHARACTERISTICS:




Type 型号	Inductance 电感值(uH)	Test Frequency 测试频率	D.C.R(MAX) 直流电阻(mΩ)	Isat(MAX) 饱和电流(A)	Irms(MAX) 温升电流(A)
ACDRH7D15-3R3NT	3.3±25%	100KHz/1V	65	2.8	2.1
ACDRH7D15-100MT	10±20%	100KHz/1V	150	1.5	1.5



# ACDRH7D25 SERIES

## MECHANICAL DIMENSION :




## ELECTRICAL CHARACTERISTICS:

Type 型号	Inductance 电感值(μH)	Test Frequency 测试频率	D.C.R(MAX) 直流电阻(mΩ)	Rated Current(MAX) 额定电流(A)
ACDRH7D25-100MT	10±20%	100kHz/1V	120	2.4

# ACDRH10D15 SERIES

## MECHANICAL DIMENSION :




## ELECTRICAL CHARACTERISTICS:

Type 型号	Inductance 电感值(uH)	Test Frequency 测试频率	D.C.R(MAX) 直流电阻(mΩ)	Rated Current(MAX) 额定电流(A)
ACDRH10D15-220MT	22±20%	100kHz/1V	320	1.45

# ACDRH10D25 SERIES

## MECHANICAL DIMENSION :




## ELECTRICAL CHARACTERISTICS:

Type 型号	Inductance 电感值(uH)	Test Frequency 测试频率	D.C.R(MAX) 直流电阻(mΩ)	Rated Current(MAX) 额定电流(A)
ACDRH10D25-220MT	22±20%	100kHz/1V	180	2

# ACDRH103R SERIES

## MECHANICAL DIMENSION :




## ELECTRICAL CHARACTERISTICS:

Type 型号	Inductance 电感值(uH)	Test Frequency 测试频率	D.C.R(MAX) 直流电阻(mΩ)	Rated Current(MAX) 额定电流(A)
ACDRH103R-4R7YT	4.7±30%	100kHz/0.25V	30	4.65
ACDRH103R-6R8MT	6.8±20%	100kHz/0.25V	35	3.84
ACDRH103R-100MT	10±20%	100kHz/0.25V	59	3.18
ACDRH103R-150MT	15±20%	100kHz/0.25V	91	2.6
ACDRH103R-330MT	33±20%	100kHz/0.25V	202	1.74

# ACDRH104R SERIES

## MECHANICAL DIMENSION :




## ELECTRICAL CHARACTERISTICS:

Type 型号	Inductance 电感值(uH)	Test Frequency 测试频率	D.C.R(MAX) 直流电阻(mΩ)	Rated Current(MAX) 额定电流(A)
ACDRH104R-1R5YT	1.5±30%	100KHz/0.25V	8.1	10
ACDRH104R-2R5YT	2.5±30%	100KHz/0.25V	10.5	7.5
ACDRH104R-3R8YT	3.8±30%	100KHz/0.25V	13	6
ACDRH104R-5R2YT	5.2±30%	100KHz/0.25V	22	5.5
ACDRH104R-7R0YT	7.0±30%	100KHz/0.25V	27	4.8
ACDRH104R-100MT	10±20%	100KHz/0.25V	35	4.4
ACDRH104R-150MT	15±20%	100KHz/0.25V	50	3.6
ACDRH104R-220MT	22±20%	100KHz/0.25V	73	2.9
ACDRH104R-330MT	33±20%	100KHz/0.25V	93	2.3
ACDRH104R-470MT	47±20%	100KHz/0.25V	128	2.1
ACDRH104R-680MT	68±20%	100KHz/0.25V	213	1.5
ACDRH104R-101MT	100±20%	100KHz/0.25V	304	1.35
ACDRH104R-151MT	150±20%	100KHz/0.25V	506	1.15
ACDRH104R-221MT	220±20%	100KHz/0.25V	756	0.92
ACDRH104R-331MT	330±20%	100KHz/0.25V	1090	0.7

# ACDRH105R SERIES

## MECHANICAL DIMENSION :



## ELECTRICAL CHARACTERISTICS:

Type 型号	Inductance 电感值(uH)	Test Frequency 测试频率	D.C.R(MAX) 直流电阻(mΩ)	Rated Current(MAX) 额定电流(A)
ACDRH105R-R80YT	0.8±30%	100KHz/0.25V	4.3	13.5
ACDRH105R-1R5YT	1.5±30%	100KHz/0.25V	5.8	10.5
ACDRH105R-2R2YT	2.2±30%	100KHz/0.25V	7.2	9.25
ACDRH105R-3R3YT	3.3±30%	100KHz/0.25V	10.4	7.8
ACDRH105R-4R7YT	4.7±30%	100KHz/0.25V	12.3	6.4
ACDRH105R-6R8YT	6.8±30%	100KHz/0.25V	18	5.4
ACDRH105R-8R2YT	8.2±30%	100KHz/0.25V	20	4.85
ACDRH105R-100MT	10±20%	100KHz/0.25V	26	4.45
ACDRH105R-120MT	12±20%	100KHz/0.25V	33	4
ACDRH105R-150MT	15±20%	100KHz/0.25V	41	3.6
ACDRH105R-180MT	18±20%	100KHz/0.25V	46	3.2
ACDRH105R-220MT	22±20%	100KHz/0.25V	61	2.95
ACDRH105R-270MT	27±20%	100KHz/0.25V	69	2.7
ACDRH105R-330MT	33±20%	100KHz/0.25V	84	2.5
ACDRH105R-390MT	39±20%	100KHz/0.25V	106	2.3
ACDRH105R-470MT	47±20%	100KHz/0.25V	130	2
ACDRH105R-560MT	56±20%	100KHz/0.25V	149	1.9
ACDRH105R-680MT	68±20%	100KHz/0.25V	201	1.65
ACDRH105R-820MT	82±20%	100KHz/0.25V	227	1.5
ACDRH105R-101MT	100±20%	100KHz/0.25V	253	1.35
ACDRH105R-121MT	120±20%	100KHz/0.25V	303	1.28
ACDRH105R-151MT	150±20%	100KHz/0.25V	370	1.12
ACDRH105R-181MT	180±20%	100KHz/0.25V	419	1.04
ACDRH105R-221MT	220±20%	100KHz/0.25V	500	0.94
ACDRH105R-271MT	270±20%	100KHz/0.25V	672	0.84
ACDRH105R-331MT	330±20%	100KHz/0.25V	812	0.75
ACDRH105R-391MT	390±20%	100KHz/0.25V	953	0.7
ACDRH105R-471MT	470±20%	100KHz/0.25V	1289	0.6
ACDRH105R-561MT	560±20%	100KHz/0.25V	1430	0.54
ACDRH105R-681MT	680±20%	100KHz/0.25V	1599	0.52
ACDRH105R-821MT	820±20%	100KHz/0.25V	1768	0.5
ACDRH105R-102MT	1000±20%	100KHz/0.25V	1989	0.48